

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	224	toshiba and kinouchi	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/03 13:15
L3	1	"20030215255"	DERWENT	OR	ON	2005/11/03 13:15
L4	148	(g03g\$.ipc. "399"/\$.ccls.) and (fusing fixing fuser) and (paper media medium) near3 (size shape thickness) same (frequency reson\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/03 13:34
L5	715	(g03g\$.ipc. "399"/\$.ccls.) and (fusing fixing fuser) and (heaters coils) same (voltage frequency inductance current)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/03 13:36
L6	68	(g03g\$.ipc. "399"/\$.ccls.) and (fusing fixing fuser) and (heaters coils) same (voltage frequency inductance current) same (temperature thermistor) same (media medium type size)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/03 14:51
L7	13	(g03g\$.ipc. "399"/\$.ccls.) and (fusing fixing fuser) and (heaters coils) same (media medium paper) near4 (thick thickness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/03 14:56
L8	2505	(g03g\$.ipc. "399"/\$.ccls.) and (fusing fixing fuser) and (media medium paper) near4 (thick thickness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/03 14:56
L9	90763	(g03g\$.ipc. "399"/\$.ccls.) and (fusing fixing fuser) same2 (media medium paper) near4 (thick thickness) with (voltage current)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/03 14:57
L10	91248	(g03g\$.ipc. "399"/\$.ccls.) and (fusing fixing fuser) same2 (media medium paper) near4 (thick thickness) with (voltage current power)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/03 14:57
L11	96	(g03g\$.ipc. "399"/\$.ccls.) and (fusing fixing fuser) same (media medium paper) near4 (thick thickness) with (voltage current power)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/03 14:57
L12	97	219/216.ccls. and temperature with frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/03 15:07
S1	2	("20050031363").PN.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/11/01 10:59

S2	292	(g03g\$.ipc. "399"/\$.ccls.) and (fusing fixing fuser) and frequency with sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 15:37
S3	0	takayushi with-nishi	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 11:23
S5	31	("399"/45.ccls.) and (fusing fixing fuser heater heating coil) same frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 15:34
S6	2	"05027648"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 15:34
S7	1431	(g03g\$.ipc. "399"/\$.ccls.) and (fusing fixing fuser) and frequency with (size type medium media paper)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/03 09:33
S8	106	(g03g\$.ipc. "399"/\$.ccls.) and (fusing fixing fuser) and frequency with (size type medium media paper) and (frequency) with (resonance resonating resonant)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 16:40
S9	4498	(219/216.ccls. 399/43,45,67,69,88, 334.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/03 09:06
S10	1504	(399/43,45,67,69,88,334.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/03 09:07
S11	1415	(399/33,45,67,69,88,334.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/03 09:08
S12	1507	(399/43,45,67,69,88,334.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/03 09:07
S13	88	S11 not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/03 09:07
S14	15	399/45.ccls. and temperature with frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/03 15:07

S15	892	(g03g\$.ipc. "399"/\$.ccls.) and (fusing fixing fuser) and temperature with frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/03 09:44
S16	706	(g03g\$.ipc. "399"/\$.ccls.) and (fusing fixing fuser) and (resonance resonant resonating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/03 09:45
S17	157	(g03g\$.ipc. "399"/\$.ccls.) and (fusing fixing fuser) same (resonance resonant resonating)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/03 13:16